



AMF TOPIQ[®]

Katalog proizvoda



TOPIQ® Sonic element

Stropno jedro TOPIQ® Sonic element bez okvira opremljeno je TOPIQ® Strong Edge tehnologijom. Presvučeno je s akustičnom tkaninom u boji s vidljive i čelne strane. Osim toga, monolitni dizajn jedra raspolaže odličnim karakteristikama u području apsorpcije zvuka. Lebdeća lakoća se neprimjetno dopunjuje nekonvecionalnom pojavom, jednostavnom formom i najvišom akustičnom funkcionalnošću.



Tehničke karakteristike proizvoda


Zvučna apsorpcija	EN ISO 354
Postojanost na vlagu	do 95% relativne vlažnosti zraka
Oblici / Formati	Kružni do Ø 1200 mm
	Kvadratni do max. 1200 x 1200 mm
	Pravokutni do max. 1800 x 1200 mm
Specijalni oblici / dimenzije	Trokutasti, ovalni, šesterokutni (ostali oblici/dimenzije na upit)
Debljina	cca. 40 mm
Masa / Jedra	cca. 6,0 kg/m ² (uključujući ovjes)

Oblik površine i konstrukcije


- Vidljiva strana i rubovi presvučeni akustičnom tkaninom*
- Boja bijela, približna RAL 9010
- Bez okvira i bez fuga
- Raznoliki oblici (kružni, pravokutni, ovalni)
- Dojam lebdenja radi izmaknutih pričvrstnih točaka
- Prilagodljivo ovješavanje
- Akustični voal u bojama (pogledajte kolekciju voala)




*TOPIQ® Strong Edge Technology




Vrijednosti apsorpcije zvuka prema EN ISO 354




TOPIQ® Sonic element pravokutni
1800 x 1200 mm
ugradna visina 150 mm



TOPIQ® Sonic element kvadratni
1200 x 1200 mm
ugradna visina 150 mm



TOPIQ® Sonic element pravokutni
1800 x 1200 mm
ugradna visina 300 mm



TOPIQ® Sonic element kvadratni
1200 x 1200 mm
ugradna visina 300 mm

Ovjes od pletene čelične žice SAE-GHD-1 (opcija)





Montažni komplet

Spiralne zatezne opruge (uključene u isporuci)
 Montažni set SAE-GHD-1 (opcija)

Dužina užeta 1,0 m
 Uporabna težina 15,6 kg

Standardni oblici stropnih jedara

Okrugli




- 1 TOPIQ® Sonic element
- 2 Spiralno sidro
- 3 Žičani ovjes s kukom, čeličnim užetom ili stropnim pričvršnim elementom

Opis dobave





Svako stropno jedro se dostavlja u kompletu sa spiralno pletenim ovjesima (pričvršćenih za jedro). Jedro je pričvršćeno ovješanim pletenim kablovima za fiksirane kuke.

Detalji





Standardni oblici stropnih jedara

Pravokutni





Standardni oblici

Ovalni





Posebni oblici stropnih jedara

Trokutasti



Šesterokutni



Trapezni

